



Cables - Connectors - Stands



INDEX

דיונוןTRONIC»
2011

CONNECTORS AND ADAPTORS	02-03
CABLES	05-09
STANDS	
LIGHTING STANDS	11-16
SPEAKER STANDS	17-23
MUSIC SHEET STAND	26-31
KEYBOARD STAND	32
WALL-MOUNTED GUITAR STAND	33
BENCHES	37
RACK EQUIPMENT STANDS & ACCESSORIES	38-39
LCD PLASMA STAND	40-44
MICROPHONE STAND	46-50
STANDS ACCESSORIES	52



PROFESSIONAL CONNECTORS

- XLR Cable Mount Connectors
- 6.3mm Jack Plugs
- Speakon Connectors
- RCA Connectors
- Mini XLR Cable Mount Connectors
- Adaptor Connectors

XLR cable mount female plug,
nickel plated shell.
Mater pack: 500pcs.

JYA5001



JYA5001-4 4P
JYA5001-5 5P
JYA5001-6 6P
JYA5001-7 7P

XLR cable mount male plug,
nickel plated shell.
Mater pack: 500pcs.

JYA5002



JYA5002-4 4P
JYA5002-5 5P
JYA5002-6 6P
JYA5002-7 7P

XLR cable mount female plug,
nickel plated shell.
Mater pack: 500pcs.

JYA5013



JYA5013-4 4P
JYA5013-5 5P
JYA5013-6 6P
JYA5013-7 7P

XLR cable mount male plug,
nickel plated shell.
Mater pack: 500pcs.

JYA5014



JYA5014-4 4P
JYA5014-5 5P
JYA5014-6 6P
JYA5014-7 7P

XLR cable mount female plug,
gold plated shell.
Mater pack: 500pcs.

JYA5017



JYA5017-4 4P
JYA5017-5 5P
JYA5017-6 6P
JYA5017-7 7P

XLR cable mount male plug,
gold plated shell.
Mater pack: 500pcs.

JYA5018



JYA5018-4 4P
JYA5018-5 5P
JYA5018-6 6P
JYA5018-7 7P

XLR cable mount male plug with 90°
angle, nickel plated shell.
Mater pack: 500pcs.

JYA5172



JYA5172-4 4P
JYA5172-5 5P
JYA5172-6 6P
JYA5172-7 7P

XLR cable mount female plug with 90°
angle, nickel plated shell.
Mater pack: 500pcs.

JYA5173



JYA5173-4 4P
JYA5173-5 5P
JYA5173-6 6P
JYA5173-7 7P

Mini XLR panel mount female socket,
nickel plated shell.
Mater pack: 1000pcs.

JYA5155



Mini XLR panel mount male socket,
nickel plated shell.
Mater pack: 1000pcs.

JYA5156



Speakon female to Speakon female
Mater pack: 500pcs.

JYA5181



JYA5181-2 2P
JYA5181-4 4P

Speakon male plug
Mater pack: 500pcs.

JYA5183



JYA5183-2 2P
JYA5183-4 4P

IDE computer female plug
Mater pack: 500pcs.

JYA5186



6.3mm mono plug
gold tip plated
Mater pack: 1000pcs.

JYA5271



6.3mm stereo plug
nickel plated
Mater pack: 1000pcs.

JYA5272



6.3mm mono plug
gold tip plated
Mater pack: 1000pcs.

JYA5279



6.3mm stereo plug
gold tip plated
Mater pack: 1000pcs.

JYA5280



6.3mm mono plug with 90° angle
nickel plated
Mater pack: 1000pcs.

JYA5309



XLR female plug to XLR female plug
nickel plated black
Mater pack: 500pcs.

JYA5109



XLR male plug to XLR male plug
nickel plated black
Mater pack: 500pcs.

JYA5123



XLR female plug to 6.3mm mono plug
nickel plated
Mater pack: 500pcs.

JYA5114



XLR male plug to 6.3mm mono plug
nickel plated
Mater pack: 500pcs.

JYA5116



XLR male plug to RCA phone plug
nickel plated
Mater pack: 500pcs.

JYA5125



XLR male plug to RCA phone socket
nickel plated
Mater pack: 500pcs.

JYA5127



6.3mm mono plug to RCA phone socket
nickel plated
Mater pack: 1000pcs.

JYA5327



6.3mm mono socket to 3.5mm mono plug
nickel plated
Mater pack: 1000pcs.

JYA5331



RCA phone socket to RCA phone socket
nickel plated
Mater pack: 1000pcs.

JYA5332




RCA phone male plug
gold pin plated
Mater pack: 1000pcs.

JYA5404



PROFESSIONAL SNAKE CABLES





Snake cable XLR male to 6.3mm mono plug with colour ring
length:..... 3.0m

JYB5023



JYB5022-4 4 ways 4XLR male to 4x6.3mm mono plug O.D 12mm

JYB5022-8 8 ways 8XLR male to 8x6.3mm mono plug O.D 13mm

JYB5022-12 12 ways 12XLR male to 12x6.3mm mono plug O.D 15mm

JYB5022-16 16 ways 16XLR male to 16x6.3mm mono plug O.D 18mm

Snake cable XLR female to XLR male with colour ring
length:..... 3.0m

JYB5025



JYB5024-4 4 ways 4XLR female to 4 XLR male O.D 12mm

JYB5024-8 8 ways 8XLR female to 8 XLR male O.D 13mm

JYB5024-12 12 ways 12XLR female to 12 XLR male O.D 15mm

JYB5024-16 16 ways 16XLR female to 16 XLR male O.D 18mm

Snake cable XLR female to 6.3mm mono plug with colour ring
length:..... 3.0m

JYB5026



JYB5025-4 4 ways 4XLR female to 4x6.3mm mono plug O.D 12mm

JYB5025-8 8 ways 8XLR female to 8x6.3mm mono plug O.D 13mm

JYB5025-12 12 ways 12XLR female to 12x6.3mm mono plug O.D 15mm

JYB5025-16 16 ways 16XLR female to 16x6.3mm mono plug O.D 18mm

Snake cable 6.3mm mono plug to 6.3mm mono plug with colour ring
length:..... 3.0m

JYB5028




JYB5021-4 4 ways 4x6.3mm mono plug to 4x6.3mm mono plug O.D 12mm

JYB5021-8 8 ways 8x6.3mm mono plug to 8x6.3mm mono plug O.D 13mm

JYB5021-12 12 ways 12x6.3mm mono plug to 12x6.3mm mono plug O.D 15mm

JYB5021-16 16 ways 16x6.3mm mono plug to 16x6.3mm mono plug O.D 18mm



JYB5032



Snake cable XLR female to XLR male with stage box
length:..... 30m
..... 50m

JYB5032-8	8(5+3) ways 5XLR male plug + 3x6.3mm stereo plug to 5XLR female socket + 3x6.3mm socket	O.D 13mm
JYB5032-12	12(8+4) ways 8XLR male plug + 4XLR female plug to 8 XLR female socket + 4 XLR male socket	O.D 15mm
JYB5032-16	16(12+4) ways 12XLR male plug + 4XLR female plug to 12 XLR female socket + 4 XLR male socket	O.D 18mm
JYB5032-20	20(16+4) ways 16XLR male plug + 4XLR female plug to 16 XLR female socket + 4 XLR male socket	O.D 20mm
JYB5032-24	24(20+4) ways 20XLR male plug + 4XLR female plug to 20 XLR female socket + 4 XLR male socket	O.D 22mm
JYB5032-28	28(24+4) ways 24XLR male plug + 4XLR female plug to 24 XLR female socket + 4 XLR male socket	O.D 24mm
JYB5032-32	32(28+4) ways 28XLR male plug + 4XLR female plug to 28 XLR female socket + 4 XLR male socket	O.D 26mm
JYB5032-36	36(32+4) ways 32XLR male plug + 4XLR female plug to 32 XLR female socket + 4 XLR male socket	O.D 28mm
JYB5032-40	40(36+4) ways 36XLR male plug + 4XLR female plug to 36 XLR female socket + 4 XLR male socket	O.D 30mm
JYB5032-44	44(40+4) ways 40XLR male plug + 4XLR female plug to 40 XLR female socket + 4 XLR male socket	O.D 32mm

JYB5043



Snake cable XLR female to XLR male with Roller and panel mount
length:..... 30m
..... 50m

JYB5043-8	8(5+3) ways 5XLR male plug + 3x6.3mm stereo plug to 5XLR female socket + 6.3mm socket	O.D 13mm
JYB5043-12	12(8+4) ways 8XLR male plug + 4XLR female plug to 8 XLR female socket + 4 XLR male socket	O.D 15mm
JYB5043-16	16(12+4) ways 12XLR male plug + 4XLR female plug to 12 XLR female socket + 4 XLR male socket	O.D 18mm
JYB5043-20	20(16+4) ways 16XLR male plug + 4XLR female plug to 16 XLR female socket + 4 XLR male socket	O.D 20mm
JYB5043-24	24(20+4) ways 20XLR male plug + 4XLR female plug to 20 XLR female socket + 4 XLR male socket	O.D 22mm
JYB5043-28	28(24+4) ways 24XLR male plug + 4XLR female plug to 24 XLR female socket + 4 XLR male socket	O.D 24mm
JYB5043-32	32(28+4) ways 28XLR male plug + 4XLR female plug to 28 XLR female socket + 4 XLR male socket	O.D 26mm
JYB5043-36	36(32+4) ways 32XLR male plug + 4XLR female plug to 32 XLR female socket + 4 XLR male socket	O.D 28mm
JYB5043-40	40(36+4) ways 36XLR male plug + 4XLR female plug to 36 XLR female socket + 4 XLR male socket	O.D 30mm
JYB5043-44	44(40+4) ways 40XLR male plug + 4XLR female plug to 40 XLR female socket + 4 XLR male socket	O.D 32mm

The image features a close-up of three professional audio cables with gold-plated connectors, including XLR and RCA types, set against a vibrant green background. In the lower portion, a woman's face is partially visible, smiling and holding a microphone, suggesting a live performance or recording session. The overall aesthetic is professional and artistic.

PROFESSIONAL AUDIO CABLES

Microphone cable

Instrument cable

RCA cable

Speaker cable



Microphone cable XLR female plug to XLR male plug O.D 6.0mm

JYC5002



JYC5002-1	1.0m
JYC5002-1.5	1.5m
JYC5002-3	3.0m
JYC5002-4.5	4.5m
JYC5002-6	6.0m
JYC5002-9	9.0m

Strands	2x28/0.10+84/0.10
Insulation	PE
Shielding	cooper spiral 100%
Colours	Black/Red/Blue/Green

Microphone cable XLR female plug to XLR male plug O.D 6.0mm

JYC5006



JYC5006-1	1.0m
JYC5006-1.5	1.5m
JYC5006-3	3.0m
JYC5006-4.5	4.5m
JYC5006-6	6.0m
JYC5006-9	9.0m

Strands	2x28/0.10+84/0.10
Insulation	PE
Shielding	cooper spiral 100%
Colours	Black/Red/Blue/Green

Microphone cable XLR female plug to 6.3mm mono plug O.D 6.0mm

JYB5019




JYC5019-1	1.0m
JYC5019-1.5	1.5m
JYC5019-3	3.0m
JYC5019-4.5	4.5m
JYC5019-6	6.0m
JYC5019-9	9.0m

Strands	2x28/0.10+84/0.10
Insulation	PE
Shielding	cooper spiral 100%
Colours	Black/Red/Blue/Green

Microphone cable XLR female plug to 6.3mm mono plug O.D 6.0mm

JYB5020



JYC5020-1	1.0m
JYC5020-1.5	1.5m
JYC5020-3	3.0m
JYC5020-4.5	4.5m
JYC5020-6	6.0m
JYC5020-9	9.0m

Strands	2x28/0.10+84/0.10
Insulation	PE
Shielding	cooper spiral 100%
Colours	Black/Red/Blue/Green

Microphone cable MINI XLR female plug to MINI XLR male plug O.D 6.0mm

JYC5087



JYC5087-1	1.0m
JYC5087-1.5	1.5m
JYC5087-3	3.0m
JYC5087-4.5	4.5m
JYC5087-6	6.0m
JYC5087-9	9.0m

Strands	2x28/0.10+84/0.10
Insulation	PE
Shielding	cooper spiral 100%
Colours	Black/Red/Blue/Green

Instrument cable 6.3mm mono plug to 6.3mm mono plug
O.D 6.0mm

JYC5027



JYC5027-1	1.0m
JYC5027-1.5	1.5m
JYC5027-3	3.0m
JYC5027-4.5	4.5m
JYC5027-6	6.0m
JYC5027-9	9.0m

Strands 20/0.12+30/0.12

Insulation PE

Shielding conductive PVC + cooper shield

Colours Black/Red/Blue/Green

Instrument cable 6.3mm stereo plug to 6.3mm stereo plug
O.D 6.0mm

JYB5034



JYC5034-1	1.0m
JYC5034-1.5	1.5m
JYC5034-3	3.0m
JYC5034-4.5	4.5m
JYC5034-6	6.0m
JYC5034-9	9.0m

Strands 20/0.12+30/0.12

Insulation PE

Shielding conductive PVC + cooper shield

Colours Black/Red/Blue/Green

Instrument cable 6.3mm mono plug to 6.3mm mono plug
O.D 6.0mm

JYC5044



JYC5044-1	1.0m
JYC5044-1.5	1.5m
JYC5044-3	3.0m
JYC5044-4.5	4.5m
JYC5044-6	6.0m
JYC5044-9	9.0m

Strands 20/0.12+30/0.12

Insulation PE

Shielding conductive PVC + cooper shield

Colours Black/Red/Blue/Green

Instrument cable 6.3mm mono plug to 6.3mm mono plug
O.D 6.0mm

JYC5045



JYC5045-1	1.0m
JYC5045-1.5	1.5m
JYC5045-3	3.0m
JYC5045-4.5	4.5m
JYC5045-6	6.0m
JYC5045-9	9.0m

Strands 20/0.12+30/0.12

Insulation PE

Shielding conductive PVC + cooper shield

Colours Black/Red/Blue/Green

Adaptor Cables with RCA phone plugs to 6.3mm mono plugs

JYC5065



JYC5065-1	1.0m
JYC5065-1.5	1.5m
JYC5065-3	3.0m
JYC5065-4.5	4.5m
JYC5065-6	6.0m
JYC5065-9	9.0m

Strands (20/0.12+30/0.12)x2

Insulation PE

Shielding cooper spiral 100%

Colours Black/Red/Blue/Green

Adaptor Cables with RCA phone plugs

JYC5067



JYC5067-1	1.0m
JYC5067-1.5	1.5m
JYC5067-3	3.0m
JYC5067-4.5	4.5m
JYC5067-6	6.0m
JYC5067-9	9.0m

Strands (20/0.12+30/0.12)x2

Insulation PE

Shielding cooper spiral 100%

Colours Black/Red/Blue/Green

Speaker cable speakon plug to speakon plug

JYB5064



JYC5064-1	1.0m
JYC5064-1.5	1.5m
JYC5064-3	3.0m
JYC5064-4.5	4.5m
JYC5064-6	6.0m
JYC5064-9	9.0m

2x0.75mm² O.D. 6.0mm 18GA 2x2.5mm² O.D. 8.0mm 13GA


2x1.5mm² O.D. 6.5mm 15GA 2x3.5mm² O.D. 10.0mm 12GA

2x2.0mm² O.D. 7.0mm 14GA

PROFESSIONAL LIGHTING STAND SPEAKER STAND



TRONIC



L001

Length:1.5m



L008

Ladder Trussing

Length:1.5m



L005


L001

Lighting stands 10'(3 mt) ladder trussing

Min.to Max.height range	187 to 300cm
Base spread diameter	98 to152cm
Center tube diameter	35/38mm
Folded height	107cm
Weight capacity	150kg
Weight	16kg



L009



L002

Length: 1.5m



L008

Ladder Trussing

Length: 1.5m

L002

**Lighting stands
10' (3 mt) ladder trussing**

Min. to Max. height range	187 to 300cm
Base spread diameter	98 to 152cm
Center tube diameter	35/38mm
Folded height	107cm
Weight capacity	150kg
Weight	20kg



L004

L005

L007

**Lighting stands
1.8m**

Min.to Max.height range	107 to 180cm
Base spread diameter	98 to152cm
Center tube diameter	30mm
Folded height	107cm
Weight capacity	25kg
Weight	1.5kg

L006

L007

L004

**Lighting stands
3.5m**

Min.to Max.height range	187 to 350cm
Base spread diameter	98 to152cm
Center tube diameter	35/38mm
Folded height	107cm
Weight capacity	35kg
Weight	4.5kg

L005

**Lighting stands
3.5m**

Min.to Max.height range	187 to 350cm
Base spread diameter	98 to152cm
Center tube diameter	35/38mm
Folded height	107cm
Weight capacity	35kg
Weight	4kg

L006

**Lighting stands
2.5m**

Min.to Max.height range	137 to 250cm
Base spread diameter	98 to152cm
Center tube diameter	25mm
Folded height	107cm
Weight capacity	25kg
Weight	2kg

L009



L010



L009

Lighting stands

3.0m

Min. to Max. height range	187 to 300cm
Base spread diameter	98 to 152cm
Center tube diameter	35mm
Folded height	155cm
Weight capacity	60kg
Weight	4.5kg

L010

Lighting stands

3.0m

Min. to Max. height range	187 to 300cm
Base spread diameter	98 to 152cm
Center tube diameter	35mm
Folded height	155cm
Weight capacity	45kg
Weight	4.5kg

L011



L011

Lighting stands 4.5m

Min.to Max.height range	187 to 450cm
Base spread diameter	117 to 162cm
Center tube diameter	35mm
Folded height	167cm
Weight capacity	120kg
Weight	6kg



L012

L012

Lighting stands 5.0m

Min.to Max.height range	189 to 500cm
Base spread diameter	210cm
Center tube diameter	60-50-40mm
Folded height	189cm
Weight capacity	120kg
Weight	30kg



L013

Lighting stands 5.4m

Min.to Max.height range	175 to 540cm
Base spread diameter	210cm
Center tube diameter	60-50-40mm
Folded height	175cm
Weight capacity	160kg
Weight	43kg

L013



L014



L014

**Lighting stands
6.5m**

Min.to Max.height range	184 to 650cm
Base spread diameter	250cm
Center tube diameter	60-50-40mm
Folded height	184cm
Weight capacity	220kg
Weight	99kg



S001
B/W



S002
B/W



S003
B/W

S001

Aluminum Speaker stands

1.8m

Min.to Max.height range	120 to 180cm
Base spread diameter	98 to 152cm
Center tube diameter	35mm
Folded height	108cm
Weight capacity	50kg
Weight	2.0kg

S002

Aluminum Speaker stands

1.8m

Min.to Max.height range	120 to 180cm
Base spread diameter	98 to 152cm
Center tube diameter	35/38mm
Folded height	108cm
Weight capacity	50kg
Weight	2.0kg

S003

Aluminum Speaker stands

1.6m

Min.to Max.height range	105 to 160cm
Base spread diameter	70 To 125cm
Center tube diameter	25mm
Folded height	100cm
Weight capacity	30kg
Weight	1.5kg



S006
B/W



Superior air-cushion design
gently and safely lowers
speaker cabinets eliminating
sudden drops

AIR CUSHION DESIGN

S006 Aluminum Speaker stands 1.8m

Min. to Max. height range	120 to 180cm
Base spread diameter	98 to 152cm
Center tube diameter	35mm
Folded height	108cm
Weight capacity	50kg
Weight	2.0kg



S009
B/W



S010
B/W

S010
Iron Speaker stands
1.8m

Min.to Max.height range	120 to 180cm
Base spread diameter	98 to152cm
Center tube diameter	25/35mm
Folded height	108cm
Weight capacity	50kg
Weight	3.2kg



S013
B/W

S013
Iron Speaker stands
1.8m

Min.to Max.height range	120 to 180cm
Base spread diameter	98 to152cm
Center tube diameter	35mm
Folded height	108cm
Weight capacity	50kg
Weight	3.2kg

S009
Iron Speaker stands
1.8m

Min.to Max.height range	120 to 180cm
Base spread diameter	98 to152cm
Center tube diameter	35mm
Folded height	108cm
Weight capacity	50kg
Weight	3.2kg



S011
B/W



S012
B/W

S011

Iron Speaker stands with gear box

2.2m

Min.to Max.height range	120 to 180cm
Base spread diameter	98 to 152cm
Center tube diameter	25/35mm
Folded height	108cm
Weight capacity	50kg
Weight	3.2kg

S012

Iron Speaker stands with gear box

2.2m

Min.to Max.height range	120 to 180cm
Base spread diameter	98 to 152cm
Center tube diameter	25/35mm
Folded height	108cm
Weight capacity	50kg
Weight	3.2kg

S015A



S015B




S016



S017



S022



S015A/B

Double ended variable length extension tube for connection

Height rang	70-110cm
Center tube diameter	35cm
Weight capacity	40kg
Weight	2.5kg



S018

Speaker stands kit
2xS013 include bag



S019

Speaker stands kit
2xS001 include bag



S020

Microphone stands kit
2xMC002
include bag



S021

Microphone stands kit
2xMC006
include bag

MUSIC STANDS

Music sheet stand

Guitar stand

keyboard stand

מחירון TRONIC





Details of music dest
Connection device on MS003

MS003

MS004

MS005

MS003

Sheet Music Stand with All Metal Perforated Music Holder

Sheet Music Holder dimensions

Width	60cm
Height	30cm
Lip depth	6cm
Height adjustment range	95 to 142cm
Diameter of leg spread	69cm
Weight	4.5kg

Ms004

Sheet Music Stand with All Metal Perforated Music Holder

Sheet Music Holder dimensions

Width	60cm
Height	30cm
Lip depth	6cm
Height adjustment range	95 to 142cm
Diameter of leg spread	69cm
Weight	4.5kg

MS005


Lightweight Sheet Music Stand

Sheet Music Holder dimensions

Width	51cm
Height	30cm
Lip depth	2cm
Height adjustment range	52 to 131cm
Diameter of leg spread	59cm
Weight	1kg



K001



K001

Keyboard stand single-brace "X"

Leg depth	50.3cm
Tier depth	35.7cm
Folded height	98cm
weight capacity	72kg
Weight	3.0kg



K034

K034

**Large perforated metal shelf
converts any full-sized "X" stand**

Side to side width	71 cm
Front to back depth	39 cm
Thickness	30 cm
Weight	4.7 kg



K036



K037



K036

Single-brace, low profile stand for small amps and combos

Side to side width	25.4cm
front to back depth range	30 to 38cm
front tier height range	21 to 28cm
back tier height range	29 to 47.2cm
weight capacity	33.9kg
Weight	1.7kg

K037

Double-brace, low profile stand for large amps and combos

front to back depth range	21 to 28cm
front tier height range	29 to 47.2cm
back tier height range	29 to 47.2cm
width	49cm
folded height	56cm
weight capacity	45.2kg
Weight	3.0kg



K008B



K040



K008W

K008B

Keyboard stand double-brace "X"

Leg depth	50.3cm
Tier depth	35.7cm
Folded height	98cm
weight capacity	81kg
Weight	3.5kg

K008W

K040

**Keyboard stand double-brace "X"
Double-tier**

Leg depth	50.3cm
Tier depth	35.7cm
Folded height	105cm
2nd tier weight capacity	30kg
overall weight capacity	110kg
Weight	3.4kg



K044



K045

K044

**Portable, heavy duty,
Height adjustable stand**

Height positions	61.6 to 81.3cm
Usable width	74 to 118cm
Usable width	44 to 69.5cm
Folded width	74cm
Folded height	62.5cm
weight capacity	120kg
Weight	8.0kg

K045

**Portable, heavy duty,
Height adjustable stand**

Height positions	61.6 to 81.3cm
Usable width	43.2 to 66cm
Usable depth	35.6 to 44.5cm
weight capacity	140kg
Weight	6.0kg



K018

A009



A010



A011



A012



K019



K020



K023



K047



K023

"A" frame Guitar stand

depth	29cm
Set-up width	36cm
olded height	45cm
Crade depth opening	5cm
Weight	1.2kg


K047

"A" frame Guitar stand foldaway

depth	29cm
Set-up width	36cm
olded height	45cm
Crade depth opening	5cm
Weight	1.2kg

WALL-MOUNTED GUITAR STANDS

TRONIC





K049L



K049S



K049L

Multiple universal guitar stand for five guitars

depth	42.5cm
Set-up width	83cm
set-up height	79.5cm
Crade depth opening	13cm
Weight	6.2kg

K049S

Multiple universal guitar stand for three guitars

depth	42.5cm
Set-up width	54cm
set-up height	79.5cm
Crade depth opening	13cm
Weight	4.5kg



K027A

K027A
Aluminium keyboard stand



K027B

K024B
Aluminium keyboard stand

BENCHES



NEW
PRODUCT

BEN001

BEN001

**"THE MONOOLITH" double-tier
Keyboard structure**

Front to back top tier depth	37cm
Front to back bottom leg depth	42cm
side to side width	85cm
weight capacity	90kg
Weight	15kg

BEN002

BEN002

Deluxe keyboard bench

Front to back depth	30cm
Side to side width	60cm
Thickness	8.0cm
Weight capacity	120kg
Weight	5.0kg

RACK EQUIPMENT STANDS & ACCESSORISE

TRONIC



RS003



RS003

Rack stand system

Depth	45cm
width	55.5cm
Height	47cm
Weight capacity	60kg



RS004

RS004

Rack stand system

Depth	45cm
width	55.5cm
Height	62cm
Weight capacity	60kg

RACK EQUIPMENT STANDS & ACCESSORISE



RS007



RS008



RS009



RS010



RS011



RS012



RS013



RS014



RS015



RS016

RS017



RS007 6-space rack equipment holder

Width	52cm
Height	32cm
Weight capacity	50kg
Weight	20kg

RS008 4-space rack equipment holder

Width	52cm
Height	23cm
Weight capacity	35kg
Weight	1.5kg

RS009 1-space rack shelf

Width	44cm
Height	4.5cm
Depth	25cm
Weight capacity	13kg
Weight	1.0kg

RS010 2-space rack shelf

Width	44cm
Height	8.9cm
Depth	36cm
Weight capacity	13kg
Weight	2.5kg

RS011 1-space rack ventilation panel with flanged edges

Height	4.5cm
--------	-------

RS012 2-space rack ventilation panel with flanged edges

Height	8.9cm
--------	-------

RS013 3-space rack ventilation panel with flanged edges

Height	13.35cm
--------	---------

Rs014 1-space blank panel with flanged edges



Height	4.5cm
--------	-------

Rs015 2-space space blank panel with flanged edges


Height	8.9cm
--------	-------

Rs016 3-space space blank panel with flanged edges

Height	13.35cm
--------	---------



P001



P002

P001


LCD plasma stands

13-32 inch

P002

LCD plasma stands

13-32 inch





P005

P005

LCD plasma stands

13-32 inch




P006

P006

LCD plasma stands

13-32 inch




P013

P013

LCD plasma stands

13-32 inch




P014


P014

LCD plasma stands

32-52 inch



P017




P017

LCD plasma stands

32-52 inch

NEW
PRODUCT



P018W



P020



P018B

P018W

LCD plasma stands
30-64 inch

P018B

LCD plasma stands
30-64 inch

P020

LCD plasma stands
13-32 inch

MICROPHONE STAND





MC007
B/W

MC008
B/W

MC011
B/W
2kg

MC007

Microphone stand

Height adjustable rang	980-1680cm
Boom lenth	76cm
Folded height	95cm
Weight	1.5kg
colour	black or chrome

MC008

Microphone stand with telescopic boom

Height adjustable rang	980-1680cm
Boom adjustable rang	52-76cm
Folded height	95cm
Weight	1.5kg
colour	black

MC011

Microphone stand

Height adjustable rang	
Boom length	
Folded height	
Weight	
colour	



MC010
B/W



MC010

Heavy duty microphone stand

Height adjustable rang	980-1680cm
Boom adjustable rang	52-76cm
Folded height	95cm
Weight	3.5kg
colour	black



MC9001

MC9001

Height adjustable tripod studio boom stand

Height adjustable rang	150cm to 236cm
Boom lenth	114cm to 194cm
Folded height	140cm
Weight	7.0kg
colour	black



MC9002

Mc9002

Height adjustable tripod studio boom stand with wheel

Height adjustable rang	136cm to 230cm
Boom lenth	118cm to 221cm
Folded height	140cm
Weight	12kg
colour	black



MC036

B/W
1.0kg

FACILITATION MICROPHONE STAND



MC061

MC055

Microphone stand with telescopic boom

Height adjustable rang	50-76cm
Boom lenth	52-76cm
Folded height	75cm
Weight	1.5kg
colour	black or chrome



MC055


B/W

MC036

Microphone stand for desk

Height adjustable rang	28-480cm
Folded height	30cm
Weight	1.5kg
colour	black or chrome

ACCESSORIES





A051
φ22mm




A052
φ30mm



A004
φ35mm
PLASTIC



A005
φ35mm
PLASTIC



A006
φ25mm
PLASTIC



A074



A075



A076



A077



A078



A079



A080



DIDAtronic Sas di Scardaoni P. & C.
Viale G. Borsi, 3 - 05100 Terni TR
Tel. 0744-400.420 Fax 0744-400.430
www.didatronic.it
info@didatronic.it